


WSWB Conjunctive Use Project


CWC Presentation

Mark Beuhler
General Manager
Willow Springs Water Bank (WSWB)



What is the Project?

- Willow Springs is located south of the Delta near Lancaster and Palmdale;
- 1 million acre-feet of storage
- Permeable soils, excellent water quality, adjudicated basin
- Existing facilities which have been used for recharge
- Adjudicated basin ensures objective management by watermaster



Conceptual Operations



Reducing spills:


- San Luis Reservoir spills 1 year in 7
- Pre-deliver to groundwater where it cannot spill or evaporate

Capturing additional water:

- Empty space in SLR is used to capture water for ecological benefit exchange
- Move new ecological water from SLR to WSWB for recharge and multi-year storage

Providing water for fish:

 In dry years, make pulse flow releases from Oroville, and extract water supply from WSWB for local use



WSWB Public Benefits

- Ecosystem:
 - Adds water to Feather River for juvenile Chinook salmon.
- Emergency Water Backup:
 - Provides emergency water storage for communities along the California Aqueduct during future Delta supply failures





What has been done?



- Project Management
 - Progress Reports
 - Scheduling and Invoicing
- Environmental Documentation and Permitting
 - Coordination with Resource Agencies for Public Benefit Contracts
 - CEQA Coverage for Local Infrastructure
- Feasibility and Technical Studies
 - Feasibility Study (2021)
 - Ecosystem Water Operations Plan (2022)
 - Emergency Response Operations Plan (2022)

Why Now?



Planning Expenditures for the next 2 to 3 years

- Reduces uncertainty in planning
- Accelerates design process to support permitting

Remaining Early Funding Will Cover

- Preliminary Design
- Permitting and Contracts for Public Benefits
- Restart Water Quality Monitoring
- Finalization of Pulse Flow CEQA
- Continued Coordination with Agencies



Mark Beuhler
General Manager
Willow Springs Water Bank
(WSWB)





