

## Agricultural Aggregated Farm-Gate<sup>1</sup> Delivery Reporting Format for Article 2

**Title 23, Division 2, Chapter 5.1, Article 2 of the CCR requires water supplier subject to the regulation to report to DWR the previous calendar year's aggregated farm gate delivery by July 31 of the subsequent year. Due annually beginning no later than July 31, 2013 from agricultural water suppliers subject to Title 23, Division 2, Chapter 5.1, Article 2 of the CCR - Agricultural Water Measurement**

### 1. Water Supplier Information

Name:

Address:

Phone Number:

Fax:

Total Number of Farm-Gates:

Number of Measured Farm-Gates:

**Irrigated Acreage for Reporting Period:**

**Total** Service Area Acreage:

### 2. Contact information

Name:

Title:

Address:

Phone Number:

Fax:

E-mail:

Submittal date:

**Reporting year:**

### 3. Aggregated Farm-Gate Delivery Data<sup>2</sup>: (provide monthly or bimonthly data, acre-feet)

	<u>Jul Jan</u>	<u>Aug Feb</u>	<u>Sep Mar</u>	<u>Oct Apr</u>	<u>Nov May</u>	<u>Dec Jun</u>	<u>Jan Jul</u>	<u>Feb Aug</u>	<u>Mar Sep</u>	<u>Apr Oct</u>	<u>May Nov</u>	<u>Jun Dec</u>	<b>Total</b>
Monthly Deliveries	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>	<input style="width: 50px; height: 20px;" type="text"/>
	<u>Jul-Aug Jan-Feb</u>		<u>Sep-Oct Mar-Apr</u>		<u>Nov-Dec May-Jun</u>		<u>Jan-Feb Jul-Aug</u>		<u>Mar-Apr Sep-Oct</u>		<u>May-Jun Nov-Dec</u>		<b>Total</b>
Bimonthly Deliveries	<input style="width: 100px; height: 20px;" type="text"/>		<input style="width: 50px; height: 20px;" type="text"/>										

### 4. Explanations, Comments and Best Professional Practices<sup>3</sup>:

**Note:** An agricultural water supplier's total water use may be different from Aggregated Farm-Gate deliveries because measurement at these points may not account for other practices (such as groundwater recharge/conjunctive use, water transfers, wheeling to other agencies, urban use, etc).

1. "Farm-gate" means the point at which water is delivered from the agricultural water supplier's distribution system to each of its individual customers as specified in the Agricultural Water Measurement Regulation (Title 23, Division 2, Chapter 5.1, Article 2 of the CCR).
2. "Aggregated farm-gate delivery data" means information reflecting the total volume of water an agricultural water supplier provides to its customers and is calculated by totaling its deliveries to customers.
3. "Best Professional Practices" is defined in Title 23, Division 2, Chapter 5.1, Article 2 of the CCR, Section 597.2.